



TE Connectivity (TE) SEACON Micro WET-CON Connectors

Standard Length Product Offer

Micro WET-CON Connectors

Standard Length Product Offer

Inline Connectors

Please use part numbers highlighted in blue when ordering.

| Description | Cable | Length | | |
|-------------|---------|---------------------|----------------------|----------------------|
| | | 1 meter (3.28 feet) | 2 meters (6.56 feet) | 5 meters (16.4 feet) |
| MCIL2F | 18/2 SO | MC-S061-0060 | MC-S060-0034 | MC-S060-0088 |
| MCIL3F | 18/3 SO | MC-S062-0006 | MC-S062-0111 | MC-S062-0032 |
| MCIL4F | 18/4 SO | MC-S064-0008 | MC-S064-0039 | MC-S064-0012 |
| MCIL5F | 20/5 | MC-S001-0054 | MC-S001-0006 | MC-S001-0074 |
| MCIL6F | 20/6 | MC-S003-0069 | MC-S003-0004 | MC-S003-0075 |
| MCIL8F | 20/8 | MC-S005-0018 | MC-S005-0006 | MC-S005-0019 |
| MCIL10F | 20/10 | MC-S007-0065 | MC-S007-0029 | MC-S007-0058 |
| MCIL12F | 20/12 | MC-S009-0008 | MC-S009-0002 | MC-S009-0077 |
| MCIL16F | 20/16 | MC-S011-0001 | MC-S011-0003 | MC-S011-0080 |
| MCIL2M | 18/2 SO | MC-S061-0074 | MC-S061-0107 | MC-S061-0080 |
| MCIL3M | 18/3 SO | MC-S063-0026 | MC-S063-0063 | MC-S063-0069 |
| MCIL4M | 18/4 SO | MC-S065-0026 | MC-S065-0036 | MC-S065-0195 |
| MCIL5M | 20/5 | MC-S002-0089 | MC-S002-0028 | MC-S002-0114 |
| MCIL6M | 20/6 | MC-S004-0076 | MC-S004-0017 | MC-S004-0073 |
| MCIL8M | 20/8 | MC-S006-0045 | MC-S006-0027 | MC-S006-0192 |
| MCIL10M | 20/10 | MC-S008-0001 | MC-S008-0131 | MC-S008-0132 |
| MCIL12M | 20/12 | MC-S010-0009 | MC-S010-0025 | MC-S010-0027 |
| MCIL16M | 20/16 | MC-S012-0010 | MC-S012-0067 | MC-S012-0031 |

NOTE

Next Lengths Up

| m | ft |
|----|-------|
| 8 | 26.24 |
| 10 | 32.80 |
| 15 | 49.20 |
| 20 | 65.60 |
| 25 | 82.00 |

Micro WET-CON Connectors

Standard Length Product Offer

Bulkhead Connectors

Please use part numbers highlighted in blue when ordering.

| Description | Hook-Up Wire 0.5 meters (1.64ft) | Material | |
|-------------|-------------------------------------|--------------|-----------------|
| | | Brass | Stainless Steel |
| MCBH2F | 20AWG | MC-S019-0027 | MC-S020-0012 |
| MCBH3F | 20AWG | MC-S023-0043 | MC-S024-0008 |
| MCBH4F | 20AWG | MC-S027-0017 | MC-S028-0014 |
| MCBH5F | 22AWG | MC-S030-0020 | MC-S031-0011 |
| MCBH6F | 22AWG | MC-S034-0237 | MC-S035-0009 |
| MCBH8F | 22AWG | MC-S038-0024 | MC-S039-0004 |
| MCBH10F | 20AWG | MC-S013-0015 | MC-S067-0007 |
| MCBH12F | 20AWG | MC-S015-0014 | MC-S069-0003 |
| MCBH16F | 20AWG | MC-S017-0016 | MC-S071-0007 |
| MCBH2M | 20AWG | MC-S021-0016 | MC-S022-0007 |
| MCBH3M | 20AWG | MC-S025-0016 | MC-S026-0012 |
| MCBH4M | 20AWG | MC-S029-0017 | MC-S066-0085 |
| MCBH5M | 22AWG | MC-S032-0015 | MC-S033-0008 |
| MCBH6M | 22AWG | MC-S036-0018 | MC-S037-0009 |
| MCBH8M | 22AWG | MC-S040-0022 | MC-S041-0006 |
| MCBH10M | 20AWG | MC-S014-0014 | MC-S068-0005 |
| MCBH12M | 20AWG | MC-S016-0012 | MC-S070-0004 |
| MCBH16M | 20AWG | MC-S018-0019 | MC-S072-0009 |

NOTE

Next Lengths Up

| m | ft |
|----|-------|
| 8 | 26.24 |
| 10 | 32.80 |
| 15 | 49.20 |
| 20 | 65.60 |
| 25 | 82.00 |

Micro WET-CON Connectors

Standard Length Product Offer

Inline Connectors - ETHERNET

Please use part numbers highlighted in blue when ordering.

| Description | Length | | |
|-------------|-------------------|----------------------|----------------------|
| | 1 meter (3.28 ft) | 2 meters (6.56 feet) | 5 meters (16.4 feet) |
| MCIL8F-ET | MC-S169-0011 | MC-S169-0014 | MC-S169-0033 |
| MCIL8M-ET | MC-S170-0018 | - | - |

Bulkhead Connectors - ETHERNET

Please use part numbers highlighted in blue when ordering.

| Description | Material | | |
|-------------|--------------------|-------------------|--------------------|
| | Brass | | Stainless Steel |
| | 0.5 meter (1.64ft) | 1 meter (3.28 ft) | 0.5 meter (1.64ft) |
| MCBH8F-ET | MC-S186-0003 | MC-S186-0005 | MC-S190-0001 |
| MCIL8M-ET | MC-S185-0014 | MC-S185-0003 | - |

Accessories

Please use part numbers highlighted in blue when ordering.

2 to 8 Pins:

Locking Sleeves

| | |
|-------------------|----------------|
| MCDLSM | 64-2-253-1 |
| MCDLSF | 64-2-252-1 |
| MCDLSM w/spirolox | 64-2-257-g01-1 |
| MCDLSF w/spirolox | 64-2-256-1 |
| MCSLSM SS | 64-2-253-g02-1 |
| MCSLSF SS | 64-2-252-G02-1 |

2 to 8 Pins:

Nuts & Washers

| | |
|-----------|----------|
| N&W Brass | N&W-S002 |
| N&W SST | N&W-S007 |

10 to 16 Pins:

Locking Sleeves

| | |
|------------------|----------------|
| DLSAF | 64-2-255-1 |
| DLSAM | 64-2-254-1 |
| DLSAF w/spirolox | 64-2-505-G01-1 |
| DLSAM w/spirolox | 64-2-504-G01-1 |

10 to 16 Pins:

Nuts & Washers

| | |
|-----------|----------|
| N&W Brass | N&W-S004 |
| N&W SST | N&W-S006 |

LET'S CONNECT

We make it easy to connect with our experts and are ready to provide all the support you need. Just call your local support number or visit te.com to chat with a Product Information Specialist.

Technical Support

te.com/support-center

SEACON US Inside Sales:

Phone: +1 619-562-7071

Email: elcajonsales@te.com

www.seaconworldwide.com

| | | | |
|----------------------|-----------------|--------------|--------------------|
| North America | +1 800 522 6752 | Asia Pacific | +86 400 820 6015 |
| North America (Toll) | +1 717 986 7777 | Japan | +81 044 844 8180 |
| EMEA/South Africa | +800 0440 5100 | Australia | +61 2 9554 2695 |
| EMEA (Toll) | +31 73 624 6999 | New Zealand | +64 (0) 9 634 4580 |
| India (Toll-Free) | +800 440 5100 | | |

te.com/MOG

TE Connectivity, TE Connectivity (logo), and SEACON are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2018 TE Connectivity Ltd. All Rights Reserved.

03/18 Original